FOh2EO" EE85T860



FIG. 1


100
Transferring resources from Windows NT operating system to Linux operating system
101
Coding a Linux based graphic interface control program

FIG. 2


File Edit
name
size(bytes)
Date
AUD C
sp
project3
ftproot
wwwroot
lc_cli.exe 58E92 20C0/ 0/27,18:24
localgroup.cc 393 20C0/ 0/27,18:23
localgrouptest.cc 192 20C0/ 0/27,10:20
lspshare 1C46 20C0/ 0/27,18:23
lspshare.idb 282 20C0/ 0/27,18:23
spshare.sp 197 20C0/ 0/27,18:23
spsharetemp 250 20C0/ 0/27,18:23
netlocalgroup.cc 4 9 20C0/ 0/27,18:23
netusers.cc 4 4 20C0/ 0/27,18:23
pw 7 8 20C0/ 0/27,18:23
pw.lc 485 20C0/ 0/27,18:23
pwc.cc 7 8 20C0/ 0/27,18:23
pwdump.exe 46E02 20C0/ 0/27,18:24
po 4C96 20C /01/02,15:4
RMTSHARE.EXE 22C 6 20C0/ 0/27,18:24
showgrps.cc 108 20C0/ 0/27,18:23
usrstat.cc 5 5 20C0/ 0/27,18:23
result.cc 155 20C0/ 0/27,18:23

FIG. 3A


Shared
Not Shared
path name: /usp
share name: lsp
tpc
administrator
test
homer
root
bin
daemon
share type: No access
Add User
delete user
Everyone yes
administrator Read Only
administrator Write
adamwu Write
homer No access
OK
CANCEL

FIG. 3B


USER MANAGER
FILE SORT
Name
Full Name
Info
root
daemon daemon
adm adm
lp lp
sync sync
shutdown shutdown
halt halt
GNAME
Group Info
root
bin
daemon
sys
adm
tty
disk

FIG. 4A


GROUP CONTENT
NAME
root
OK
INFO
CANCEL
USER
NOUSER
root
sync
shutdown
halt
operator
>>
<<
daemon
adm
lp
mail
news

FIG. 4B


OutBound Queue
Inbound Queue
General Option
Connection
quit
Mail Queue
Sender
Receiver
Sent Time
Mail Size
root <root>
acamwu@das.com.tw
Wed, 3 Jan 2001 14:08:07 102 bytes
root <root>
acamwu@mst.hinet.net
Wed, 3 Jan 2001 14:08:27 102 bytes
delete message
Delete All
Resend Mail
Resend All
REFRESH QUEUE

FIG. 5A


OutBound Queue
Inbound Queue
General Option
Connection
quit
Minimum retying time
30m
Administrator Email
Maximum Email Size(Bytes)
1000000
Time Before Sending Warning
4
day
hour
Time Before Giving Up
3
day
hour
OK

FIG. 5B


Root Window
檔案(F)
brio600
Default FTP Root
ftp1
ftp2
share
Default WWW Root
access2.back
access.back
access.conf
access.conf.back
allinfo.txt
httpd.conf
magic
srm.conf
temp.txt
ftpaccess
ftpaccess.back
ftptemp.txt

FIG. 6A


doc Properties
Basic
Security
Virtual Name :
doc
Virtual Directory Name :
/home/httpd
Browse
Read
Write
Execute
Indexes
OK
CANCEL

FIG. 6B


FTP Properties
Basic
Security
Bad User
Virtual Name :
share
Virtural Directory name :
/lspinfo
Browse
OK
CANCEL

FIG. 7A


FTP Properties
Basic
Security
Bad User
ALL Computer DEFAULTED to :
Allow
Denied
Except following
access
IP address
Add
Delete
OK
Exit

FIG. 7B

Exhibit 6 Page 5 of 6



FIG. 8


DHCP
Subnet
Network Mask
Gateway
Starting IP
Ending IP
START
END
0.0.0.0
0.0.0.0
default lease expiration time (seconds)
maximum lease expiration time
ADD
DELETE
OK

FIG. 9